



CATALOGO DE SISTEMA DE SEGURIDAD RF

CODIGO	IMAGEN	DESCRIPCION	CANT.
RF ANTENNA			
EG-RF03		Working Type: TX +RX Matching Board :8.2MHZ RF DUAL BOARD Detection:4*4 label:110cm Hard tag:mini 130cm,midi 160cm ,large 200cm Material:stainless steel Size&Weight:1580*380*30mm Customize:AD Panel,People counting	1SET/CTN
EG-RF04		Working Type: TX +RX Matching Board :8.2MHZ RF DUAL BOARD Detection:4*4 label:150cm Hard tag:mini 170cm,midi 200cm ,large 220cm Material:aluminium alloy Size&Weight:1650*520*190mm Customize:AD Panel,People counting	1SET/CTN
RF HARD TAGS			
EG-RH01 Mini Square Tag		Dimension:48*42mm Frequency:8.2Mhz Lock:three ball,standard,super	1000PCS/CTN

<p>EG-RH02 Large Square Tag</p>		<p>Dimension:71 x 58 mm Frequency:8.2Mhz Lock:three balls,standard,super</p>	<p>1000PCS/CTN</p>
<p>EG-RH03 New Mini Squire Tag</p>		<p>Dimension:52 x 43 mm Frequency:8.2Mhz Lock:three balls,standard,super</p>	<p>1000PCS/CTN</p>
<p>RF LABEL</p>			
<p>EG-RL304 RF Label</p>		<p>Diameter:30*40mm Spec: Deactivatable/Non-Deactivatable Frequency:8.2Mhz Color:Barcode/White/Customized</p>	<p>20000PCS/CTN</p>
<p>EG-RL404 RF Label</p>		<p>Diameter:40*40mm Spec: Deactivatable/Non-Deactivatable Frequency:8.2Mhz Color:Barcode/White/Customized</p>	<p>20000PCS/CTN</p>
<p>EG-RL404F Frozen Label</p>		<p>Diameter:40*40mm Spec: Deactivatable/Non-Deactivatable Frequency:8.2Mhz Color:Barcode/White/Customized</p>	<p>20000PCS/CTN</p>
<p>EG-RLR40 RF Label</p>		<p>Diameter:40mm Dia Spec: Deactivatable/Non-Deactivatable Frequency:8.2Mhz Color:Barcode/White/Customized</p>	<p>20000PCS/CTN</p>


DETACHERS

EG-K01		Diameter:70mm Magnetic:4500GS	50PCS/CTN
EG-K02		Diameter:80mm Magnetic:10000GS	50PCS/CTN
EG-K03		Diameter:73mm Magnetic:120000GS	50PCS/CTN




BOTTLE TAGS

EG-BO02		Dimension:50mm Frequency:58Khz/8.2Mhz/Custom ized Color:black/customized Lock:three ball,standard,super	500PCS/CTN
EG-BO03		Dimension:50mm Frequency:58Khz/8.2Mhz/Custom ized Color:black/customized Lock:three ball,standard,super	500PCS/CTN
EG-BO04		Dimension:113mm x 33mm Frequency:58Khz/8.2Mhz/Custom ized Color:black/customized Lock:three ball,standard,super	100PCS/CTN
EG-BO05		Dimension:50mm x 33mm Frequency:58Khz/8.2Mhz/Custom ized Color:black/customized Lock:three ball,standard,super	500PCS/CTN


OPTICAL TAGS

EG-OP01		Dimension:27*23*25mm Frequency:58Khz/8.2Mhz/Custom ized Lock:three ball,standard,super	1000PCS/CTN
---------	---	---	-------------






Lanyard&PINS

EG-D1		Length:170mm/customized	5000PCS/CTN
EG-D2		Length:170mm/customized	5000PCS/CTN
E-D5		Length:16mm/19mm/customized	10000PCS/CTN
E-D6		Length:16mm/19mm/customized	10000PCS/CTN


SELF ALRAM TAG

EG-AR01		8KHz/8.2MHz/Customized,Three Balls ,Standard,Super	50PCS/CTN
---------	---	---	-----------

EG-AR03		Frequency:58KHz/8.2MHz/Customized Lock:three ball,standard,super	100PCS/CTN
EG-AR04		Frequency:58KHz/8.2MHz/Customized Lock:three ball,standard,super	100PCS/CTN
EAS TESTER,DEACTIVATOR ,SUPER TAG DETACHER			
EG-TE02		Frequency:8.2Mhz/58Khz	/
EG-DEA03		Center frequency :8.2mhz Brandwidth :7.4-9mhz Max deactivating range : 30cm Size:24.5*23.5*2.8CM, ALarm sounds& light	10PCS/CTN
SAFER BOX			
EG-S001		Frequency:8.2Mhz /58KHZ Inner Dimension:113x106x36mm Outer Dimension:138x112x39.6mm	60PCS/CTN

EG-S002		<p>Frequency:8.2Mhz /58KHZ Inner Dimension:113x106x27mm Outer Dimension:138x112x30.6mm</p>	80PCS/CTN
EG-S003		<p>Frequency:8.2Mhz /58KHZ Inner Dimension:180x107x15mm Outer Dimension:203x112x19mm</p>	500PCS/CTN
EG-S004		<p>Frequency:8.2Mhz /58KHZ Inner Dimension:193x144x16mm Outer Dimension:216x151x20mm</p>	100PCS/CTN
EG-S005		<p>Frequency:8.2Mhz /58KHZ Inner Dimension:193x144x35mm Outer Dimension:216x151x39mm</p>	60PCS/CTN
EG-S006		<p>Frequency:8.2Mhz /58KHZ Inner Dimension:193x144x55mm Outer Dimension:216x151x60mm</p>	40PCS/CTN

EG-S007		<p>Frequency:8.2Mhz /58KHZ Inner Dimension:79.1×110×32.2mm Outer Dimension:161×116.5×42mm</p>	120PCS/CTN
EG-S008		<p>Frequency:8.2Mhz /58KHZ Inner Dimension:79.6×110×18.5mm Outer Dimension:161×114×26mm</p>	180PCS/CTN
EG-S009		<p>Frequency:8.2Mhz /58KHZ Inner Dimension:165×124×51mm Outer Dimension:244×130×60mm</p>	40PCS/CTN
EG-S010		<p>Frequency:8.2Mhz /58KHZ Inner Dimension:162×119.7×27.1mm Outer Dimension:248×123.5×35mm</p>	100PCS/CTN
EG-S011		<p>Frequency:8.2Mhz /58KHZ Inner Dimension:92×70×70mm Outer Dimension:109×88×77mm</p>	100PCS/CTN

EG-S012		<p>Frequency:8.2Mhz /58KHZ Inner Dimension:195x70x70mm Outer Dimension:208x88x77mm</p>	50PCS/CTN
EG-S013		<p>Frequency:8.2Mhz /58KHZ Inner Dimension:200x110x85mm Outer Dimension:213x117x112mm</p>	50PCS/CTN
EG-S014		<p>Frequency:8.2Mhz /58KHZ Inner Dimension:204x155x85mm Outer Dimension:220x160x100mm</p>	20PCS/CTN
EG-S015		<p>Frequency:8.2Mhz /58KHZ Inner Dimension:247x60x51mm Outer Dimension:253X80X55mm</p>	60PCS/CTN